SETUP SHEET

Poly Studio X50

See the Poly Studio X30 and Poly Studio X50 Regulatory Notices for all regulatory and safety guidance prior to configuration.
Avant de procéder à la configuration, veuillez consulter les Avis de réglementation du Poly Studio X30 and Poly Studio X50, afin de prendre connaissance des recommandations en matière de sécurité et de réglementation.

CONTENTS



TOOLS





1725-86423-003B
Studio X50 Model P017

1


140 mm
(5 1/2 in)
84 mm
(3 5/16 in)
71.5 mm
(2 13/16 in)
30 mm
(1 13/16 in.)
x2 Depth = 40 mm
54.5 mm
(2 1/8 in)
42 mm
(1 10/16 in)
140 mm
(5 1/2 in)
30 mm
(1 13/16 in.)
x2 Depth = 40 mm
6 mm

2





3





4



5













Hereby, Plantronics B.V. declares that the radio equipment type Model P018 and P017 is in compliance with Directive 2014/53/EU. The full text of the EU declaration of conformity is available at https://www.poly.com/gb/en/legal/compliance/conformity.

	Maximum Transmit Power	
Frequency Range	**P017**	**P018**
2422 - 2480MHz	Max EIRP [19.1] dBm	Max EIRP [18.88] dBm
5150 - 5350MHz	Max EIRP [19.93] dBm	Max EIRP [20.06] dBm
5470 - 5725MHz	Max EIRP [19.33] dBm	Max EIRP [19.7] dBm

© 2022 Poly. All trademarks are the property of their respective owners.

www.poly.com/support/studio-x50